

Order no.: 174235

Mobile scaffolding,
1.35 × 2.45 m, with
double platform. Platform
height 2.51 m



Accessories for the product family



Order no.: 027993

Safety railing for
mobile scaffolding



Order no.: 027901

Push-fit frame, 1.35
m. Height: 2.00 m



Order no.: 027956

Railing lengthwise
2,450 mm



Order no.: 027910

Platform with
trapdoor For
scaffolding length:
2.45 m



Order no.: 027930

Platform without
flap For scaffolding
length: 2.45 m



Order no.: 027911

Toe board front side
For scaffolding
width: 1.35 m



Order no.: 027914

Toe board long side
For scaffolding
length: 2.45 m



Order no.: 027908

Diagonal brace
2.45 m



Order no.: 027907

Horizontal strut For
scaffolding length:
2.45 m



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer adjustable
Adjustable up to
1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping
range 38–51 mm



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070508

Safety door on front side Push-fit
frame 1.35



Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 070520

Scaffolding strut telescopic 2,120–3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902

Push-fit frame, 1.35 m. Height: 1.00 m