







Order no.: 175235

Mobile scaffolding,
1.35 × 3.0 m, with double
platform. Platform height
2.51 m




Accessories for the product family







Order no.: 027911
Toe board front side
For scaffolding
width: 1.35 m




Order no.: 027944
Toe board long side
For scaffolding
length: 3.0 m




Order no.: 027938
Diagonal brace 3 m




Order no.: 027936
Horizontal strut For
scaffolding length:
3.0 m



Order no.: 027917
**Swivel castor with
spindle height
adjustable Ø 200
mm**




Order no.: 027940
Step-on bracket




Order no.: 027912
**Ballast weight with
hanging brackets
RAL 1021**




Order no.: 019081
**Clip tray for tubes
Ø 50 mm**




Order no.: 027920
**Wall spacer
adjustable
Adjustable up to
1.0 m**




Order no.: 070506
**Frame extension
can be clamped on
Adjustment range
max. 400 mm**




Order no.: 019274
**Storage tray 500 x
220 mm Clamping
range 38–51 mm**




Order no.: 019276
**Storage tray 800 x
300 mm Clamping
range 38–51 mm**



Order no.: 019175
**Inspection sticker
40 x 40 mm**



Order no.: 019176
Inventory sticker



Order no.: 070508
**Safety door on
front side Push-fit
frame 1.35**



Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 070520

Scaffolding strut telescopic 2,120–3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902

Push-fit frame, 1.35 m. Height: 1.00 m