









Order no.: 167121


Mobile scaffolding SG
1.35 × 3 m with inclined
ascents platform height
2.51 m

Accessories for the product family







Order no.: 027934
Platform without flap
 For scaffolding length: 3.0 m




Order no.: 027911
Toe board front side
 For scaffolding width: 1.35 m




Order no.: 027944
Toe board long side
 For scaffolding length: 3.0 m




Order no.: 027965
Inclined ascent below
 For stair scaffolding For scaffolding length: 3.0 m




Order no.: 027968
Top handrail for mobile scaffolding
 with inclined ascent For scaffolding length: 3.0 m




Order no.: 027938
Diagonal brace 3 m




Order no.: 027936
Horizontal strut
 For scaffolding length: 3.0 m




Order no.: 027917
Swivel castor with spindle
 height adjustable Ø 200 mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with hanging brackets
 RAL 1021




Order no.: 019081
Clip tray for tubes
 Ø 50 mm




Order no.: 027920
Wall spacer adjustable
 Adjustable up to 1.0 m



Order no.: 070506
Frame extension can be clamped on
 Adjustment range max. 400 mm



Order no.: 019274
Storage tray 500 x 220 mm
 Clamping range 38–51 mm



Order no.: 019276
Storage tray 800 x 300 mm
 Clamping range 38–51 mm



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 070520

Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 027902

Push-fit frame, 1.35
m. Height: 1.00 m