


Order no.: 167211

Mobile scaffolding SG
1.35 × 2.45 m with
inclined ascents &
outrigger platform height
4.47 m



Accessories for the product family



Order no.: 027993

Safety railing for
mobile scaffolding



Order no.: 027928

Entry frame For
scaffolding width:
1.35 m



Order no.: 027901

Push-fit frame, 1.35
m. Height: 2.00 m



Order no.: 027956

Railing lengthwise
2,450 mm



Order no.: 027985

Platform with
longitudinal flap
For scaffolding
length: 2.45 m



Order no.: 027930

Platform without flap
For scaffolding
length: 2.45 m



Order no.: 027911

Toe board front side
For scaffolding
width: 1.35 m



Order no.: 027914

Toe board long side
For scaffolding
length: 2.45 m



Order no.: 027963

Inclined ascent below
For stair scaffolding
For scaffolding length: 2.45 m




Order no.: 027964

Inclined ascent
For stair scaffolding
For scaffolding length: 2.45 m



Order no.: 027983

Handrail for mobile scaffolding
with inclined ascent
For scaffolding length: 2.45 m



Order no.: 027967

Top handrail for mobile scaffolding
with inclined ascent
For scaffolding length: 2.45 m



Order no.: 027908

Diagonal brace
2.45 m



Order no.: 027907

Horizontal strut
For scaffolding length: 2.45 m



Order no.: 027926

Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable
Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer adjustable
Adjustable up to 1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38–51 mm



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 019137

Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070520

Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker
40 x 40 mm