



Order no.: 167221

Mobile scaffolding SG
1.35 × 3 m with inclined
ascents & outrigger
platform height 4.47 m




Accessories for the product family




Order no.: 027994

Safety railing for
mobile scaffolding




Order no.: 027928

Entry frame For
scaffolding width:
1.35 m




Order no.: 027901

Push-fit frame, 1.35
m. Height: 2.00 m



Order no.: 027957

Railing lengthwise
3,000 mm



Order no.: 027986

Platform with
longitudinal flap
For scaffolding
length: 3.0 m



Order no.: 027934

Platform without flap
For scaffolding
length: 3.0 m



Order no.: 027911

Toe board front side
For scaffolding
width: 1.35 m




Order no.: 027944

Toe board long side
For scaffolding
length: 3.0 m



Order no.: 027965

Inclined ascent below
For stair scaffolding
For scaffolding length: 3.0 m



Order no.: 027966

Inclined ascent For stair scaffolding
For scaffolding length: 3.0 m



Order no.: 027984

Handrail for mobile scaffolding with inclined ascent
For scaffolding length: 3.0 m



Order no.: 027968

Top handrail for mobile scaffolding with inclined ascent
For scaffolding length: 3.0 m



Order no.: 027938

Diagonal brace 3 m



Order no.: 027936

Horizontal strut For scaffolding length: 3.0 m



Order no.: 027926

Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer adjustable
Adjustable up to 1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38–51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38–51 mm



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 019137

Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070520

Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker
40 x 40 mm