


Order no.: 167200


Mobile scaffolding,  
1.35 × 1.80 m, with  
inclined ascents &  
outrigger. Platform height  
4.47 m




### Accessories for the product family




Order no.: 027992  
Safety railing for mobile scaffolding




Order no.: 027928  
Entry frame For scaffolding width: 1.35 m




Order no.: 027901  
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955  
Railing lengthwise 1,800 mm




Order no.: 027970  
Platform with longitudinal flap For scaffolding length: 1.8 m




Order no.: 027932  
**Platform without flap**  
For scaffolding length: 1.8 m




Order no.: 027911  
**Toe board front side**  
For scaffolding width: 1.35 m




Order no.: 027943  
**Toe board long side**  
For scaffolding length: 1.8 m




Order no.: 027961  
**Inclined ascent below**  
For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027962  
**Inclined ascent For stair scaffolding**  
For scaffolding length: 1.8 m




Order no.: 027929  
**Handrail for mobile scaffolding with inclined ascent**  
For scaffolding length: 1.8 m




Order no.: 027939  
**Top handrail for mobile scaffolding with inclined ascent**  
For scaffolding length: 1.8 m




Order no.: 027937  
**Diagonal brace 1.8 m**




Order no.: 027935  
**Horizontal strut**  
For scaffolding length: 1.8 m




Order no.: 027926  
**Triangular outrigger**



Order no.: 027917  
**Swivel castor with spindle height adjustable**  
Ø 200 mm




Order no.: 027940  
**Step-on bracket**




Order no.: 027912  
**Ballast weight with hanging brackets**  
RAL 1021



Order no.: 019081  
**Clip tray for tubes**  
Ø 50 mm




Order no.: 027920  
**Wall spacer adjustable**  
Adjustable up to 1.0 m




Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38–51 mm




Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38–51 mm




Order no.: 070508

Safety door on front side Push-fit frame 1.35




Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m




Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed




Order no.: 019137

Spring clip for mobile scaffolding with long pin, open




Order no.: 070524

Scaffolding strut telescopic 1,700–2,500 mm




Order no.: 027104

Height-adjustable spindle




Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm




Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm




Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin




Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 027902

Push-fit frame, 1.35 m. Height: 1.00 m