



Order no.: REF-7269099

# Mobile container rescue at height

#### Specification

Business division MUNK Rettungstechnik Order no. REF-7269099

#### **Facts**

- For holding:
- 1x Spec Pac rescue board in transport bag
- 1x tripod DB-A1 type B in carry bag
- 1x aluminium box (600 x 400 x 220 mm) for storing 1x fall arrester, 1x holder for fall arrester
- 1x aluminium box (600 x 400 x 220 mm) for storing 1x man-riding winch VA
- 2x aluminium crate (800 x 400 x 330 mm) for storing helmets and PPE
- 1x aluminium box (600 x 400 x 220 mm) for storing small material
- 1x aluminium box (600 x 400 x 220 mm) for storing 1x pulley with snap hooks, 1x MSA Latchways 3 m PFL personal fall limiter



### Scope of supply

Mobile container: 1 x

#### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



## More product pictures





Added value

#### Reference model

With our reference models, we provide you with a selection of individual roll containers to illustrate the variety and possibilities of our designs. We would also be happy to manufacture mobile containers for your needs - please contact us!



# Corporate certifications

#### on sustainability criteria







