



Order no.: 115463

Step telescopic ladder

Prime Line



Number of steps

9

13

Specification

| | | | | |
|--------------------------------|---|-------------------------------|--|------------------------------|
| Working height max. 3.8 m | Number of steps/rungs 9 steps | Step depth 80 mm | Step/Rung distance 300 mm | Step design Steps |
| Retracted length 760 mm | Extended length 3 m | Inclination 75 ° | Outer width 470 mm | Max. load capacity 150 kg |
| Design type To lean against | Transport dimensions 810 x 470 x 105 mm, 11.44 kg | Predecessor product 115473 | Business division MUNK Günzburger Steigtechnik | Order no. 115463 |

Facts

- Original Telesteps telescopic ladder made of aluminium
- Sturdy triangular side-rails, anodised for abrasion resistance
- 80 mm deep, ribbed steps and three rungs (50 mm)
- High-strength step-to-side-rail connection
- Convenient height adjustment through intuitive telescopic function

- For ladder length 4.10 m including folding stabiliser (enclosed separately)
- Step spacing: 300 mm
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



Certificates



Corporate certifications

on sustainability criteria



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022