


Order no.: 930105

Aluminium profile 30x60 mm



Specification

| | | | | |
|---|---------------------------------------|----------------------------|---|---|
| Profile type Construction profile | Length max. 6 m | Material Aluminium | Profile dimension X 30 mm | Profile dimension Y 60 mm |
| Weight per metre 1450 g/m | Groove size 6 mm | No. of grooves 6 | Ix Area moment of inertia 53161 cm ⁴ | Iy Area moment of inertia 18984 cm ⁴ |
| Cross-sectional area FL 524.28 mm ² | Surface texture Anodised aluminium | Anodising Bright E6/EV4 | End design Sawn | Core hole diameter M10 |
| Order no. 930105 | | | | |

Facts

- Construction profile made from aluminium
- Screw channel profile with T-slot
- For sturdy, versatile constructions
- Simple installation
- Versatile use
- Added visual and functional benefits

Description

The 30x60 mm aluminium profiles are the ideal choice for anyone looking for a slim, elegant profile. The profile is available in various lengths up to 6000 mm and is versatile in its use. The T-slot in the screw channel allows versatile constructions to be created with the profile. The aluminium profile is bright anodised.

- Bright anodised
- In different lengths up to 6000 mm

Scope of supply

- Aluminium profiles, sawn to the required length (max. 6 m): 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

