

Order no.: 331042

## Handrail for track platform



### Specification

|  |                             |  |                       |                   |
|--|-----------------------------|--|-----------------------|-------------------|
| Length<br>1.33 m                                       | Width<br>65 mm              | Height<br>1.15 m                                     | Material<br>Aluminium | Weight<br>6.3 kg  |
| Transport dimensions<br>1325 x 40 x 1151<br>mm, 6.3 kg | Product type<br>Accessories | Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>331042   | Price<br>€ 287.00 |

### Facts

- Built-in knee and foot rest for added security
- Easy installation thanks to push-fit system
- Push-fit railing made of aluminium
- Made of round aluminium bar, Ø 40 mm, with knee and foot board

### Scope of supply

- Handrail (enclosed separately): 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

