

Order no.: 930404

## M8-12 pan head screw

Length [mm]

12 16 20 25 30 35 40



### Specification

ISO thread M8	Screw drive Hexagon socket	Dimension L 12 mm	Material Galvanised steel	Order unit pcs.
Order no. 930404				

### Facts

- Pan head screw with hexagon socket
- Metric standard unified thread
- With flange/collar
- No washer required
- DIN 7380-2

### Description

Our pan head screws are made from high-quality material and have a metric standard unified thread and a hexagon socket drive. These screws do not require a washer and are ideal for all applications in which a high degree of strength is required. We offer screws in a range of thread sizes and lengths so that you can create any connection you require for your constructions.

## Scope of supply

- Pan head screw: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

