

Order no.: 301312

Protective cage with retractable toe board



Specification

Cage length 1.5 m	Cage width 1.5 m	Height 600 mm	Product type With retractable toe board	Weight 21.5 kg
Transport dimensions 1500 x 1500 x 630 mm, 21.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 301312	Price € 1,550.00	

Facts

- Compulsory accessories
- Serves as safety railing during operation or inspection work
- Ideal adaptation to the contour of the vehicle thanks to retractable toe board

Scope of supply

- Round protective cage: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- 
- Corporate certification: ISO 9001
  - Corporate certification: ISO 14001
  - Corporate certification: EN 1090
  - Corporate certification: EcoVadis
  - RoHS
  - REACH
  - The MUNK Group complies with a Code of Conduct
  - The Supply Chain Act does not apply due to our size
  - The materials used are listed in the technical specification
  - Resource-saving production: own photovoltaic systems
  - Energy-efficient consumption during production: LED lighting
  - Repairability, durability and quality: 15-year warranty on series products made in Germany
  - Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
  - Socially acceptable working conditions in production: fair wages, gender equality
  - Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
  - No health hazards for the users

More product pictures

---

## Added value

---

### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



# Corporate certifications

on sustainability criteria

