



Order no.: 070522

Scaffolding connector set

Suitable for scaffolding width

1.35 m

0.75 m

Specification

Suitable for Mobile scaffolding	Weight 31 kg	Transport dimensions 1300 x 800 x 400 mm, 31 kg	Business division MUNK Günzburger Steigtechnik	Order no. 070522
Price € 1,592.00				

Facts

- For joining mobile scaffoldings to meet special requirements
- Produced taking the standard DIN EN 1004 into account
- Can be used with platform heights of up to max. 3.8 m and platform widths of 1.35 m
- For platform width 0.75 m consisting of: 1 tread plate, 4 spring clips, 2 railing frames, 2 scaffolding connectors
- For platform width 1.35 m consisting of: 2 tread plates, 2 railing frames, 2 scaffolding connectors
- Length: 0.85 m
- Delivery time: 10 working days

- Not compatible with safety railings

Scope of supply

- Scaffolding connector set: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

